


RNP z RWY 21


THR ELEV 506.4 ft, AD ELEV 507 ft
 OCH are related to THR.
 BRG are MAG (True).
 ALT, HGT and ELEV in ft.

LANDVETTER TOWER	118.605
LANDVETTER ATIS	118.380
GÖTEBORG APPROACH	124.680



Special COM Failure procedures see ESGG AD 2.22

CLIMB STRAIGHT AHEAD TO 3000, RADAR VECTORED FOR A NEW APPROACH



OCA (H)					Final approach	Distance FAF-MAPt 6.1 NM										
Cat of ACFT	A	B	C	D	Dist to RW21	NM	6		5		4		3		2	
LNAV/VNAV	770(264)	780(274)	801(295)	818(312)	ALT	ft	2467		2149		1830		1512		1193	
LNAV	900(400)				GS	kt	80		100		120		140		160	
					Rate of descent	ft/min	425		530		635		745		850	

CHANGE: Editorial

RNP z RWY 21

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
IF	GG404	-	-	-	-	+2500	-200	-	-	RNP APCH
TF	GG425	-	202°(206.1°)	3.1	-	@2500	-	-	-	RNP APCH
TF	RW21	Y	202° (206.1°)	6.1	-	@556	-	3.00/50	-	RNP APCH
CA	-	-	202° (206.1°)	-	-	@3000	-	-	-	RNP APCH
VM	-	-	202°	-	-	-	-	-	-	RNP APCH