


**STANDARD INSTRUMENT  
DEPARTURE CHART (SID) -  
ICAO**

HGT and ALT in ft  
BRG are MAG  
TA 5000 ft AMSL

SUNDSVALL TOWER	129.555
SUNDSVALL ATIS	127.405

**SUNDSVALL-TIMRÅ  
RNAV (GNSS) SID RWY 16**



CHANGE: Editorial

**SUNDSVALL-TIMRÅ****Prescribed Coding of RNAV SID for RWY 16****DEGED 1G**

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
DF	NN600	Y	-	-	-	-	-	-	-	RNAV 1
DF	NN710	-	-	-	R	-	-	-	-	RNAV 1
TF	DEGED	-	224°(231.2°)	22.2	-	-	-	-	-	RNAV 1

SID instruction: NN600 – NN710 – DEGED**FOXSA 1G**

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
DF	NN600	Y	-	-	-	-	-	-	-	RNAV 1
DF	FOXSA	-	-	-	-	-	-	-	-	RNAV 1

SID instruction: NN600 – FOXSA**GAJPA 1G**

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
DF	NN600	Y	-	-	-	-	-	-	-	RNAV 1
DF	GAJPA	-	-	-	L	-	-	-	-	RNAV 1

SID instruction: NN600 – GAJPA**SINNU 1G**

Path Term	Waypoint Identifier	Fly-over	Course °M(°T)	Dist (NM)	Turn Dir	Rest Alts (ft AMSL)	Speed Limits (kt)	VPA/ RDH (°/ft)	Rec Navaid	Navigation Specification
DF	NN600	Y	-	-	-	-	-	-	-	RNAV 1
DF	NN710	-	-	-	R	-	-	-	-	RNAV 1
TF	SINNU	-	268° (275.3°)	21.7	-	-	-	-	-	RNAV 1

SID instruction: NN600 – NN710 – SINNU